

## 5-50 Ton



## Overview

Direct air cooled condensers are available in five to fifty ton models. Rahn remote condensers offer the design flexibility required in replacement, renovation, and new construction.

- Low profile design
- Multi-circuiting at no extra charge
- Internal dividers isolate each fan cell
- Fan cycling head pressure control
- Direct-drive fans
- Individual motor fusing
- Control board with or without transformer
- Cabinet design in vertical airflow configuration
- Coated steel fan guard
- Optional coil coating including Rahn Kote and copper fin for corrosive atmosphere

Model RACC

RACC Model	THR, MBH/1° F TD		Fan/ Motor			208/230/1	460/1	Dimensions (in.)		
	R-410a	R-134a	Qty.	CFM	HP	FLA	FLA	L	W	H
RACC-05-01	3.120	3.195	1	7,500	3/4	4.2	2.2	33.5	44.125	42
RACC-06-01	3.812	3.882	1	7,400	3/4	4.2	2.2	33.5	44.125	42
RACC-07-01	4.258	4.320	1	7,400	3/4	4.2	2.2	33.5	44.125	42
RACC-08-01	5.111	5.179	1	7,200	3/4	4.2	2.2	33.5	44.125	42
RACC-10-02	6.428	6.514	2	15,500	3/4	8.4	4.4	66.5	44.125	42
RACC-12-02	7.795	7.907	2	15,300	3/4	8.4	4.4	66.5	44.125	42
RACC-14-02	8.736	8.742	2	15,100	3/4	8.4	4.4	66.5	44.125	42
RACC-15-02	9.403	9.555	2	15,000	3/4	8.4	4.4	66.5	44.125	42
RACC-16-02	10.053	10.216	2	14,800	3/4	8.4	4.4	66.5	44.125	42
RACC-18-03	10.962	11.116	3	23,000	3/4	12.6	6.6	99.5	44.125	42
RACC-20-03	11.429	11.590	3	22,000	3/4	12.6	6.6	99.5	44.125	42
RACC-22-03	13.538	13.709	3	20,000	3/4	12.6	6.6	99.5	44.125	42
RACC-23-03	14.306	14.486	3	19,500	3/4	12.6	6.6	99.5	44.125	42
RACC-25-04	15.621	15.827	4	30,000	3/4	16.8	8.8	132.5	44.125	42
RACC-28-04	17.816	18.060	4	29,000	3/4	16.8	8.8	132.5	44.125	42
RACC-30-04	18.641	18.829	4	28,500	3/4	16.8	8.8	132.5	44.125	42
RACC-32-04	20.776	20.987	4	28,000	3/4	16.8	8.8	132.5	44.125	42
RACC-35-05	21.454	21.770	5	37,500	3/4	21	11	165.5	44.125	42
RACC-40-05	25.005	25.263	5	37,000	3/4	21	11	165.5	44.125	42
RACC-45-06	28.191	28.503	6	42,500	3/4	25.2	13.2	198.5	44.125	42
RACC-50-06	30.820	31.140	6	42,000	3/4	25.2	13.2	198.5	44.125	42

